





## Standard Residential Section (37" Height)

(Typical)



## Standard Commercial Section (42" Height)

(Typical)



Custom sections available, please inquire.






715-808-0196 info@saintcroixlogworks.com

P.O. Box 753, Hudson, WI 54016

[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)



## Post Details




715-808-0196 info@saintcroixlogworks.com  
P.O. Box 753, Hudson, WI 54016

[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)




## Estimation/Ordering Information

### Example:



### Example:



### PLEASE INCLUDE THE FOLLOWING:


- Note existing posts & sizes if applicable. Provide measurements BETWEEN those posts.
- Include angles of corners other than 90 degrees.
- Please make sketch(s) as legible as possible and include the name & contact for the person whom provided the measurements should a question arise. Include a note for specific requirements/requests.

715-808-0196 info@saintcroixlogworks.com  
 P.O. Box 753, Hudson, WI 54016

[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)



## Estimation/Ordering Information



### PLEASE INCLUDE THE FOLLOWING:

- Note existing posts & sizes if applicable. Provide measurements BETWEEN those posts.
- Note if railing is required for (1) or (2) sides of stairs.
- 6" posts (standard)
- Stairs with diagonal length greater than 8'-0 require additional post(s). If additional post(s) are required, select location (center of post) before measuring & provide lengths separate.
- Provide stair angle and/or rise & run of stair stringer (measurement without tread & riser)
- Stair posts are drilled on-site by customer to accept tenons. Stair railing tenons may be field trimmed & fastened to post eliminating the need to drill post. Railings ship pre-assembled.
- Please make sketch(s) as legible as possible and include the name & contact for the person whom provided the measurements should a question arise. Include a note for specific requirements/requests.

715-808-0196 info@saintcroixlogworks.com

P.O. Box 753, Hudson, WI 54016

[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)



*Please complete the following checklist:*

Species:

- Pine
- Cedar

Railing Style:

- Classic
- Double
- Timber
- Full view
- Accent

Peel:

- Machine milled straight
- Machine milled hewn
- Hand hewn
- Doweled

Post Bottom

- Flat
- 1/2 Notch
- Thru-Notch

715-808-0196 info@saintcroixlogworks.com  
P.O. Box 753, Hudson, WI 54016

[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)



715-808-0196 [info@saintcroixlogworks.com](mailto:info@saintcroixlogworks.com)  
P.O. Box 753, Hudson, WI 54016  
[www.saintcroixlogworks.com](http://www.saintcroixlogworks.com)